

A

40678 U.S. PTO

JC678 U.S. PTO

jc996 U.S. PTO
10/033224


10/26/01

Basic Fee							\$ 740.00
Claims Fee	Number Filed		Number Extra		Rate		
Total Claims	15	- 20 =	0	X	\$18.00	=	\$ 0.00
Independent Claims	3	- 3 =	0	X	\$84.00	=	\$ 0.00
Multiple Dependent Claims					\$280.00	=	\$
Total Filing Fee							\$ 740.00

Please charge our Deposit Account Number **16-1885** in the amount of \$ 740.00 for the filing fee.

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account Number 16-1885.

A copy of this Transmittal Letter is enclosed for use in charging the Deposit Account.

A handwritten signature in cursive script, appearing to read "Ronald Reichman", written over a horizontal line.

Ronald Reichman

Reg. No.26,796

Attorney of Record

Telephone (203) 924-3854

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:) Attorney Docket No.: F-399
Ronald P. Sansone) Group Art Unit: 2167
Serial No.:) Examiner:
Filed: Concurrently herewith) Date: October 26, 2001
Title: **A METHOD AND SYSTEM FOR RETURNING A NON-SCALE-
BASED PARCEL WEIGHT**


CERTIFICATE OF MAILING BY EXPRESS MAIL

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In accordance with the provisions of 37 CFR 1.10, I hereby certify that the attached TRANSMITTAL LETTER (original + 1); APPLICATION consisting of 31 pages and 6 sheets of drawings; DECLARATION; RECORDATION OF ASSIGNMENT with copy of executed Assignment [original + 1]; and LETTER were deposited with the U.S. Postal Service on October 26, 2001, for delivery by Express Mail. The number of the Express Mail mailing label is EK794131868US.

Respectfully submitted,



Ronald Reichman
Reg. No. 26,796
Attorney of Record
Telephone (203) 924-3854

PITNEY BOWES INC.
Intellectual Property and
Technology Law Department
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484-8000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:) Attorney Docket No.: F-399
Ronald P. Sansone) Group Art Unit:
Serial No.:) Examiner:
Filed: Concurrently herewith) Date: October 26, 2001
Title: **A METHOD AND SYSTEM FOR RETURNING A NON-SCALE-
BASED PARCEL WEIGHT**

LETTER

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

The following is submitted to show the changes that were made to the original patent application serial no. 09/473,542 to form the continuation-in-part patent application:

In the specification:

Page 1, line 5, insert the following paragraph:

This is a continuation-in-part of U.S. Patent Application Serial No. 09/473,542
entitled "A Method And System For Returning A Non-Scale-Based Parcel Weight" filed
December 28, 1999.

Page 8, line 1:

~~FIG. 3 is a detailed flowchart of the method comparing elements of a product~~
~~description with elements of the database field to determine a match and its associated~~

weight is a drawing of a view screen that will be displayed in the personal computer in user subsystem 10, user station 170, and entry nodes 102, 104, 106, 108 and 110;

FIG. 4 is a flow chart of the process for determining the cost of the other materials used to complete the container; and

FIG. 5 is a flow chart showing how the post or carrier detects weight/rating/errors that are identified during normal article/mail piece acceptance processing.

Page 8, lines 14 and 19:

Subsystem 10 is shown as a node which includes a personal computer and printer for processing data and running certain software applications, a monitor for providing a human interface with the personal computer so as to view screens established by the application, and a keyboard for data entry. A modem link is implied that will allow access to interface 12. Additional peripherals that are anticipated include a scanner for scanning barcodes and similar data, ~~as well as a weighing scale for inputting weight should the system database 54 not contain a relevant weight for the article to be shipped.~~

Page 8, line 29 and page 9, line 3:

Database 54 is optionally linked to a weight and rate ~~rating~~ server 52 to form subsystem 50. Database 54 comprises all universal process codes (UPC) database 54A; item weight, volume and density databases 54B; and all carrier rates database 54C. Subsystem 50 is a remote server which can determine a rate for shipping a parcel in accordance with parameters established in the shipping application hosted by subsystem 10 and a weight returned from database 54. Database 54 can be updated by

data entry from subsystem **10** or from periodic and/or random updates transmitted by postal or carrier server 28 and corrected or refined by database correction factors **32**.

Page 9, lines 9 and 10:

There are a number of commercially available databases that can serve as input to the trainable database **54**, thus reducing training time and expense. Those databases representing portions of the Universal Product Code (UPC) and the European Article Numbering (EAN) systems are the most advantageous because they contain product descriptions and characteristics but not the weight of the item. Currently, portions of these systems are commercially available, while a complete compilation is not available. ~~The trainable database contemplated herein would provide the quickest road to actually building a database that anticipates the entire UPC product base.~~

Page 10, line 12:

The first overhead digit of a UPC type A symbol is a number related to the type of product being described as follows:

- 0 = normal UPC code
- 1 = reserved
- 2 = products sold by weight
- 3 = health related products
- 4 = UPC code used without limits
- 5 = coupons
- 6 = normal UPC code
- 7 = normal UPC code
- 8 = reserved
- 9 = reserved

Page 10, line 32 to page 11, line 3:

Returning to FIG. 1A, subsystem **10** is shown as also linked to the postal or carrier stream through letter or parcel presorted metered permit, stamp, or PC-based meters/stamp payment and mailer finishing processactivities **22** which include the physical mailing of a letter or the shipping of a parcel. The entry of a letter or a parcel into the postal or carrier stream allows the carrier to apply an acceptance and delivery process **24** which produces samples of weight data **26** which are input to carrier server **28**. In turn, the carrier server **28** applies the weight database correction factors ~~to using~~ the collected weight data so that ~~the weight~~ corrections can be input to the trainable database **54** through interface **34**, Internet link **36** and interface **38**.

Page 12, line 1:

A third embodiment of the present invention is shown in **FIG. 1C**. FIG. 1C is a block diagram of a data processing node, which is co-located with the database, and wherein the data processing node interfaces with a carrier server ~~in~~ is performing rating routines prior to seeking carrier acceptance.

Page 13, lines 22, 23:

Turning to **FIG. 2A**, there is shown the method of the preferred embodiment of the present invention. The method begins at step 199 when a user enters data into screen 300 (FIG. 5). Then, in step 200, ~~with~~ the initiation of a shipping or carrier management application begins (hereinafter referred to as a shipping application) in a data processing system. The application can be configured to access carrier data

representative of one carrier, or in the alternative, can be configured to select from among two or more carriers as based upon selection criteria selected by a system user. For example, such criteria can include: cost; desired date of delivery; available services; or, shipping mode.

Page 14, first, second and third paragraphs:

From step **200**, the method advances to step ~~202~~**204** where data relative to the parcel to be shipped is entered into a weight determination routine of the shipping application. The data can be entered by a system operator utilizing a keyboard, by scanning a barcode related to the contents of the parcel, or by other similar data entry methods. When the data has been entered, the method advances to the query at step **204**, which asks if a weight has been entered for the parcel/article. If the response to the query is "YES," then the method advances to step **214** where the article data is applied directly to a rating routine for determining the rate to be charged for shipping the parcel/article via the selected carrier. The method advances from step **214** along a dual path to step **216** where the total rate is returned for the container and essentially simultaneously along path **A2** to re-enter the method flow at step **252** as is shown in **FIG. 2B**. At step **252**, parcel weight is returned for use by the rating routine. If, however, the response to the query at step **204** is "NO," then the method advances to step 201 to read the next data field from data fields 305, 307 and 309. Then the program goes to the query at step **206**.

The query at step **206** asks if a UPC bar code is available for the parcel to be shipped. If the response to the query is "YES," then the method advances to step **212** where the UPC barcode-value is compared to the UPC database to obtain an article

postal or carrier weight, and the item volume and density, if found. Now the program goes to step 205 to buffer the current article weight with the other weight parameters and the current total weight. Then the program goes to decision block 203 to check if the total weight has been determined. If step 203 has not determined the total weight, the program goes to step 201 to read the next data field. If step 203 determines the total weight, the program goes to step 213 to determine if other parameters, i.e., density and volume, are present in the record. If step 213 determines no new parameters are present, the program goes to step 214. If step 213 determines that new parameters are present, the program goes to step 350 (FIG. 4). Once the weight is obtained, the method advances directly to step **214**. However, if the response to the query at step **206** is "NO," then the method advances to the query at step **208**.

At step **208**, the method queries at to whether the parcelarticle can be identified by ~~its characteristics~~ a description of the article. If the response to the query is "YES," then the method advances to step **210** where the characteristics are input to the system and the corresponding UPC data and the parcelcontainer weight are determined. From step **210**, the method flow advances to step ~~214~~**205**. If the response to the query at step **208** is "NO," then the method advances along path **A1** to step **230** as is shown in FIG. 2B.

Page 15, line 4:

Returning to step **214**, the method applies the article data, including the weight obtained at step **252**, to a rating engine to determine the rate to be charged for shipping the parcel via the selected carrier. The rate is returned at step **216** and applied to the article at step **218** by indicating the rate on a corresponding carrier manifest, producing

a label (which generally lists the addressee as well) corresponding to the rate, or both.

In step 219, the rate is applied for this container. The ~~parcel~~container is then prepared for shipping at step **220** and the routine for the parcel is concluded at step **222**.

Page 15, third paragraph:

Returning to step **230**, if the response to the query is "NO," then the method advances to the query at step **240**. At step **240**, the system queries as to whether or not a product description is available. If the response to the query is "NO," then the method advances to step 245. Step 245 requests that the user enter data that describes the product. Then the program advances to the query at step **246**. If, however, the response to the query at step **240** is "YES," then the program goes to step 242 to compare elements of the product comprising the parcel description with elements in UPC database fields.~~are weighted utilizing any of a number of known weighting techniques. The weighted elements of the product are compared with elements of the database field at step 242 before advancing.~~ Now the program advances to the query at step **244**.

Page 16, line 1:

Returning to step **236**, if the response to the query as to whether or not the product number is available is "NO," then the method advances to step **242** where the ~~weighted elements of the product are compared with elements in the UPC of the database fields~~ at before advancing to the query at step **244**. If the response to the query at step **236** is "YES," then the system conducts a search of the database by the manufacturer's product number before advancing to the query at step **244**.

Page 16, lines 8-10:

At step **244**, the system queries as to whether or not a match has been determined for the comparisons made of the manufacturer's name, product number, or description. If the response to the query is "NO," then the methodprogram advances to step 245 where the user is requested to enter the data. Then the program goes to the query at step 246. However, if the response to the query at step **244** is "YES," then the method advances directly to step **252** and returns a weight to the cost/rating routine for use at step **214**.

Page 16, second, third and fourth paragraphs:

Turning to step **246**, the method queries as to whether or not the system user can enter (e.g., via keyboard entry or scanner entry) the weight directly to the routine. If the response to the query is "YES," then the data is entered into the entry fields of the routine at step **250**; otherwise, if the response to the query is "NO," then the program goes to step 247. Step 247 sends to the user's display the following message: "Weight is not available. Take finished package to post/carrier for cost/rating". Then this routine goes to step 249 and then to step 222 to end. ~~system-user can weigh the article utilizing a weighing scale at step 248. The weight is then read, at step 250, from the scale and entered either automatically or manually into the entry fields. From step 250, the method advances to step 250252 where the weight is returned to the application in step 216 (FIG. 2A) for use in determining the cost/rate.~~

~~The weights database utilizes the weight entered at step 248, together with the product description or product number to establish a new weights record which is entered into the weights database for subsequent comparisons; thus, the database is~~

~~trainable and potentially increases its ability to reduce the need for future weighing steps.~~

FIG. 3 is a drawing of a view screen that will be displayed in the personal computer in user subsystem 10, user station 170, entry nodes 102, 104, 106, 108, and 110. The data entry screen 300 is made up of seven subscreens indicated as 301, 303, 305, 307, 309, 311, and 313. Each subscreen in turn contains one or more required data elements that the user must enter to define the article/mail piece for cost/rating, or to provide the needed data to allow computation of the container and its contents weight.

The first sub data entry screen 301 is in turn subdivided into four user data entry fields. They are identified as A, B, C, and D in 301. Each field allows the user to identify the chosen carrier (A), the level of delivery service requested (B), any other requested services (C), and finally the destination information (D) that enables delivery.

The next data entry subscreen 303 provides a field (E) where the user could enter the actual final accurate shipping weight when it is already known to them. These circumstances are likely found in a manufacturer parcel-shipping site where standard boxes, packing and contents are combined in known arrangements.

The next three subscreens (305, 307 and 309) provide the numeric and text information that enables the present invention to operate.

Subscreen 305 contains data entry lines labeled F1, F2 and more. Each line has fields for both the UPC code assigned to the contents item, as printed on its label, or found in its description. The "F" lines are filled in with either the UPC or a description until all the items are accounted for.

The next subscreen **307** deals with the mail piece container. At least one "G" line must be selected, and either the UPC number entered or the description.

The next subscreen **309** deals with the packing and tape used to form the mail piece/container. At least one "H" line must be selected, and both the UPC number entered and a description of what was consumed.

Subscreens **311** and **313** are not for data entry. These subscreens inform the user about the status of the "mail-ability" in ("I") of the mail piece, and the current cost in (J).

FIG. 4 is a flow chart of the process for determining the cost of the other materials used to complete the container. The program begins in step **350** when step **213** (FIG. 2A) detects other parameters.

Step **350** reads the input records from subscreens **310-309** (FIG. 3). Then the program goes to decision step **352**. Step **352** determines whether or not other parameter data entries are present in the data record. If other parameters are not present, the program goes to step **214** (FIG. 2A). If other parameters are present in step **352**, the program goes to step **354** to read or compute values for the current postal weight; container volume; sum of the contents items and packing material density. In step **356**, the program subtracts all contents volumes found from the container volume. Then, in step **358** the program multiplies the computed volume difference by the given packing material density. In step **360**, the program adds the computed postal weight for the packing used to the current postal weight. In step **362**, the file is returned to step **214** (FIG. 2A)

FIG. 5 is a flow chart showing how the post or carrier detects weight/rating/cost/errors that are identified during normal article/mail piece acceptance processing. Prior to initiation of the corrective process, described in FIG. 5, a temporary article weight error file 371 is produced by a sortation process 370. Sortation process 370 out sorts all verified mail piece records that exceed post/carrier established acceptance value for a user-produced weighing error. The user-produced weighing error is usually 3-5% of the total weight.

The corrective processing starts at step 373 when the first record stored in step 371 is read in. Next, at step 375, the mail piece unique number that the system issued during the user cost/rating process, is read in from subscreen 301 data field (FIG. 3) and is retrieved from the archived user record 300.

Next the process moves to step 377 to establish if a user established "postal weight" was used. If this is the case (yes), the process moves to step 379 where it computes the value of the error, and then notifies the user and bills the user's account.

Next, at step 380, the process checks to see if there are any more records to process in step 371. If there are none to process, it moves to step 381 to clear the processed records in step 371 and then ends.

If there are additional files to process in step 371, the process gets the next record at step 392 and moves back to step 373. Returning to step 377, if a user supplied postal weight was not entered by the user, the process moves to step 383 where it verifies that the weights entered by the user interactive process matches the current UPC-based weights. If a mismatch is found, the process moves to step 379 where it follows the flow already discussed. If all the component weights are found to

match those currently in the UPC database 54b (FIG. 1A), the process moves to step 385 to locate other mail pieces that contain the same item.

The process next moves to query the item manufacture's database over the Internet to verify the weight. It then moves to step 389 to produce a correction if needed. Then the process goes to step 390 to add the correction to a Weight Corrections database update file 391. Then the process moves to step 380. Then the system database 32 (FIG. 1A) is updated from time to time as needed using step 391.

Page 17 through page 18, first paragraph: delete in their entirety

~~The method flow begins with a comparison input initiated at step 240. The input initiates, at step 260, a comparison routine. The routine begins at step 262 where the product description is parsed into matching fields before advancing to step 264 where each of the fields is weighted in accordance with its ability to define or direct a search to a product or article in terms of its actual weight. From step 264, the method advances to step 266 where an address is assigned to each field and a fixed value alphanumeric is added that corresponds to a product description in the weights database. At step 268, each of the alphanumerics is matched against the most appropriate table (based on the alphanumerics) in the weights database to determine whether a match is to be returned.~~

~~The method queries at step 270 as to whether or not a match is returned. If the response to the query is "YES," then the weight of that alphanumeric is added to a weights tally field. If the response to the query is "NO," then the method advances to the query at step 274 which asks if there are any more matches. If the response to the query is "YES," then the method advances to step 276 where the method goes to the next alphanumeric to be matched. The method then goes to the next alphanumeric and~~

~~re-enters the flow at step 270. However, if the response to the query at step 274 is "NO," then the method advances to step 278 and determines whether or not the total weight recorded in the weight tally field is greater than, or equal to, a pre-determined threshold weight.~~

~~If the weight in the weight tally field is not greater than or equal to the threshold weight, then the method advances to step 280, determines that no match has been found at step 280 and then returns at step 282 to step 244 as is shown in FIG. 2B. If it is determined that the weight in the weight tally field is greater than or equal to the threshold weight, then the method will advance from step 278 to step 284. The method determines at step 284 that a match has been determined and then returns at step 286 to step 252 as is shown in FIG. 2B.~~

Page 18, first paragraph:

~~While certain embodiments have been described above in terms of the system within which the subject method may be employed, the invention is not limited to such a context. The system and its embodiments shown in FIG. 1A, FIG. 1B, FIG. 1C, and FIG. 1D are examples of configurations for the invention, and the system elements are intended merely to exemplify the types of peripherals and combinations that are contemplated by the invention.~~

Substitute new **FIG. 1A** for old FIG. 1A;

Substitute new **FIG. 2A** for old FIG. 2A;

Substitute new **FIG. 3** for old FIG. 3; and

Add new **FIG. 4** and **FIG. 5**.

In the claims:

1. A method of providing for weight-based determinations of one or more articles to be shipped; the method comprising the steps of:

- (a) initiating a ratecost determining routine in a shipping system application at a first node via the Internet;
- (b) entering a code or a description of each one of said one or more articles into a first data field of said routine;
- (c) transmitting a query from said routine based upon the code or description to a database containing product codes and/or descriptions for one or more articles, a product code or a description for packing material, and a product code or description for the container and the sealing material for the container that the one or more articles and the packing material that are going to be shipped located at a second node for a weight associated with said each one of said one or more articles, container packing materials and sealing materials;
- (d) returning said weight to said cost routine for use in calculating a cost for shipping said each of said one or more articles, said packing material, and said container ~~to a particular destination~~; and
- (e) displaying the cost to ship the articles, container, packing material and sealing material ~~entering said weight into a second data field of said shipping system application as an input parameter~~; and
- (f) ~~determining said rate for shipping said each of said one or more articles to said particular destination based upon a set of one or more input parameters.~~

2. The method of claim 1, wherein said first node is remote to said database.

25. A method of returning a weight from a weight field of a database wherein said database has at least one data field for storing a set of data relative to a corresponding article, packing material, and container, and wherein said set of data comprises at least said weight field, the method comprising the steps of:

(a) initiating a ratecost determining routine in a shipping system application at a first node;

(b) entering a description of said corresponding article, said packing material, and said container into a first data field of said rate determining routine;

(c) transmitting a query from said routine to said database for a weight associated with said corresponding article, said packing material, and said container;

(d) returning said weight to said routine; and

(e) displaying the cost to ship the article, packing material and container; ~~entering said weight into a second data field of said shipping system application; and~~

(f) ~~determining a cost for shipping said corresponding article to a particular destination.~~

26. A system for determining the weight of an article, packing material, and container to be shipped, said system comprising:

(a) a data processing system located at a first node, said data processing system further comprising a shipping system application, said shipping system application further comprising ratecost determining means for determining a carrier cost to be charged for shipping of said article, said packing material, and said container;

(b) first data entry means for entering a product code of said article, a product code of said packing material, and a product code of said container into a first data field of said shipping system application;

(c) transmission means for transmitting a query for a weight associated with said article, said packing material, and said container, from said shipping system application to a database located at a second node and then returning said weight to said application for use by said rate determining means;

(d) second data entry means for entering said weight into a second data field of said shipping system application as an input parameter; and

(e) calculating means within said ratecost determining means for calculating said cost for shipping said article, said packing material, and said container to said particular destination based upon a set of one or more input parameters.

40. A method of providing for weight-based determinations of one or more articles to be shipped, the method comprising the steps of:

a) initiating a cost determining routine in a shipping system application at a first node;

b) entering a code or a description of each one of said one or more articles into a first data field of said routine;

- c) entering a code or a description of the container in which the articles are going to be shipped;
- d) transmitting a query from said routine to a database located at a second node for a weight associated with said each one of said one or more articles and said container;
- e) returning said weight to said routine for use in calculating a cost for shipping said each of said one or more articles and said container;
- f) entering said weight into a second data field of said shipping system application as an input parameter; and
- g) determining said cost for shipping said each of said one or more articles and container based upon a set of one or more input parameters.

41. The method of claim 40, wherein said initiation of said routine is via Internet or modem and where said initiating site is remote to said database.

42. The method of claim 40 wherein said initiation of said routine occurs at a data processing system co-located with said application and said database.

43. The method of claim 40, wherein said database further comprises a set of codes (such as UPC or EAN) data.

44. The method of claim 40, wherein said database further comprises a set of data comprising a recorded weight associated with a set of one or more articles wherein said recorded weight is entered by a system operator.

45. The method of claim 40, further including the steps of:
entering a code or a description of the packing material that is included in the container to be shipped; and
determining the cost for shipping the packing material.

46. The method claimed in claim 45, further including the steps of determining the weight of the packing material using the volume of the container minus the volumes of the articles in the container multiplied by the density of the packing material.

47. The method of claim 40, further including the steps of:
storing the cost for shipping each one or more articles and the container in a completed container data base at the second node;
submitting said container to a carrier for acceptance; and
determining by the carrier the cost to ship said container.

48. The method of claim 47, further including the step of:
isolating the containers that do not have the proper postage.

49. The method of claim 48, further including the step of:
billing mailers who have not paid sufficient funds to ship said
container.

50. The method of claim 48, further including the step of:
refunding monies to mailers who have overpaid to ship said
container.

51. The method claimed in claim 47, further including the steps of:
comparing the stored weight for shipping the article and container in the
completed container database with the weight determined by the carrier to ship the
container; and
querying the manufacturer of the articles and containers concerning their
actual weight if the compared total weights are not the same.

52. The method claimed in claim 51, further including the step of:

updating the weights associated with each one or more articles and said container at the database located at the second node.



Ronald Reichman
Reg. No. 26,796
Attorney of Record
Telephone (203) 924-3854

PITNEY BOWES INC.
Intellectual Property and
Technology Law Department
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484-8000